Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journa

Antibiotic Resistance Crisis: History, Misuse, Biofilms, Clinical Burden and Global Health Impact

Aqsa Karim
Faculty of Medical and Allied Health Sciences, The Islamia University of Bahawalpur, Pakistan
Muhammad Mudassar
College of Allied Health Professionals, Government College University Faisalabad, Pakistan
Isha Ajmal
Department of Eastern Medicine Government College University Pakistan
Abdul Wadood Chishti
Department of Eastern Medicine, Superior University Lahore, Pakistan
Tabish Ali Virk
Department of Botany, Government College University Faisalabad, Pakistan
Mudassar Khan
Health Services Academy, Islamabad Pakistan
Fahad Said Khan
Department of Eastern Medicine, University of Poonch Rawalakot Azad Kashmir, Pakistan
Parivish Kainat Jamali
Department of Pharmacognosy, Faculty of Pharmacy, University: University of Sindh Jamshoro
Shamaila Kausar
Department of Microbiology, The University of Lahore, Pakistan
El Hadji Seydou Mbaye
BCNet International Working Group, IARC/WHO, Dakar –Senegal
Sehrash Afreen
Department of Sociology, PMAS Arid Agriculture University Rawalpindi
Shazia Akbar
Department of Environmental Sciences, Sardar Bahadur Khan Women University Quetta Pakistan
Maham Khan
Nuclear Institute of Agriculture and Biology (NIAB-C) Faisalabad Pakistan
Muhammad Ramzan Kaleem
Department of Eastern Medicine Government College University Pakistan
Arslan Abid
Department of Nursing and Community Health, Faculty of public health, Glasgow Caledonian University Glasgow
Syed Muhammad Ukkasha
Department of Eastern Medicine, Faculty of Medical sciences, Government College University, Faisalabad
Rabia Anum
Institute of Business Management, Karachi Pakistan

Annual Methodological Archive Research Review

http://amresearchreview.com/index.php/Journal/about

Online ISSN 3007-3197

Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journa

Nimra Shahid
Department of Eastern Medicine, Government College University Faisalabad Pakistan
Farooq Bashir Butt
Associate Professor, Khuldunia College of Pharmacy, Lahore, Pakistan
Shazia Akber
Department of Environmental Sciences, Sardar Bahadur Khan Women University
Quetta Pakistan
Manahil Syed
Sardar Bahadur Khan Women University Quetta, Balochistan, Pakistan
Momina Iftikhar
Department of Eastern Medicine, Government College University Faisalabad Pakistan
Muhammad Akram
Department of Eastern Medicine, Faculty of Medical sciences, Government College University, Faisalabad
***Corresponding Author Email**: muhammadakram@gcuf.edu.pk

Abstract

Antibiotic resistance has become an important threat to global well-being. Although the fact that antibiotics transformed medicine by eliminating severe infections, decades of improper use, prescription drugs, and widespread application in agriculture have increased resistance.Through concealing pathogens from immune system reactions and pharmaceuticals, the creation of biofilm improves bacterial survival which results in persistent infections. Prolonged illnesses, increased stays in hospitals, higher medical expenditures, and an increase in mortality constitute each part of the accompanying clinical impact.Resistant infections constitute a threat to established medical methods, destabilize health systems, and restrict the advancement of public health worldwide. Strict stewardship, evaluation, alternative antimicrobial approaches, and general awareness are all required to tackle this obstacle and preserve the beneficial effects of antimicrobial drugs for future generations.

Keywords: Antimicrobial; Antibiotic Resistance; Anti-Infections; Drugs Used; Infections Treatment; Global Health.

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journa

Introduction

Protection against harmful microorganisms correlates significantly with an increased risk of both mental health issues and mortality (Lowry et al.2016).Examples of several Gram-negative bacteria and NSAIDs have led to worsening conditions or potentially causing them independently of conventional antibiotic therapies. Based on the initial research, distinguishing between the pathogens responsible for diseases and the challenges faced by cancer and severe illness sufferers is insufficient because numerous antibacterial therapies can be found in various locations (Yusuf et al.2023). Getting vaccinated can lead to longer hospital stays, higher medical bills, and more deaths. Anti-infection drugs are used to prevent and treat infections. However, sometimes microbes change how these drugs work, which can lead to an anti-inflammatory effect. Probiotic bacteria are safe antiviruses, but they are not humans or other living beings. These germs can spread sickness to people and animals, and the diseases they cause are usually more contagious than other illnesses that weaken the immune system. Vaccination increases healthcare costs, leads to more emergency room visits, and can cause more deaths.

Data suggest that antibiotic resistance spreads due to tainted and exhausted drugs such as ineffective treatments provided at prohibitive prices and demanding trials by the drug industry. The Centers for Disease Control identifies various microorganisms as critical markers of important health issues, beneficial outcomes in therapeutic success rates, and considerable dangers; these factors remain paramount for advancing healthcare technologies and attracting economic resources (Fernández et al.2020). The American health care system encompasses both residents and their kinfolk. The Centers for Disease Control requires adoption of new protocols, retesting based on findings, and ongoing efforts toward increased activity due to pressing circumstances (National Academies of Sciences et al.2019).

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journa

History of Antibiotics

The remedy of microbial sicknesses in historical Egypt, Greece and China has been well documented. The antidote period commenced with the discovery of penicillin thru Sir Alexander Fleming in 1928. thinking about that then, antimicrobial capsules have changed the drug range of lives. Antibiotics were first superior to treat natural pollution inside the 1940s. Penicillin changed into powerful in controlling bacterial contamination in world warfare II. The maximum common example is Staphylococcus aureus (MRSA). Methicillin protection changed into identified during the last decade, inside the United Kingdom in 1962 in the US and in 1968 (Gajdács et al.2019).

Benefits of Antibiotics

Anti-infective not handiest save sufferers' lives but play a critical position in making awesome strides in medication and surgical procedure. they've avoided or treated any ability infection in sufferers undergoing chemotherapy; people with persistent illnesses, which includes diabetes, kidney disorder, or rheumatoid arthritis; or have passed through complicated scientific processes, such as organ transplants, joint replacements, or coronary heart surgical procedure (Abat et al., 2018.

Causes of Antibiotic Disease

Bullying

The comprehension of a company's operational needs should serve as the foundation for determining microbial antimicrobial activity. The manager of PT. Primayuda Tekstil must evaluate how production goals for the upcoming year can be met, either through family involvement or through non-biological and genetic elements such as plasmids. High-density fluctuations (HGTs) facilitate the transfer of toxin resistance among different strains. Resistance can develop rapidly through enhanced transmission. Antimicrobial agents can eliminate drug-resistant competitors, enabling well-tolerated microorganisms to survive via natural selection. Despite warnings regarding

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journa

misuse, over-the-counter drugs are accessible in all countries. A study utilizing the IMS Health Midas database, which analyzes disease utilization based on the sale of antimicrobials in emergency pharmacies and hospitals, revealed that in 2010, each person in AS17 was advised to use 22.0 minutes (an increase of one component, such as a pill, box, or vial). The number of microbial vaccines varies by state, with most states ranging from the Great Lakes to the Gulf Coast. Costs differ, although the west coast utilizes very few. In some states, the maximum number of treatments supported by microbial prevention exceeds the population, resulting in more than one treatment per person annually (Siddique et al., 2023).

Wrong Prescribing

The results show that antimicrobials increase in a way that is similar to how bacteria progress. Studies have found that treatment scores, expert choices, or problems with microbial treatment are wrong in 30% to 50% of cases. A US study found that the presence of the organism was only seen in 7.6% of 17,435 hospital patients with pneumonia (CAP) in the region. Experts from the Karolinska Institute in Sweden can identify the right germ in 89% of CAP patients by using the subatomic signaling system, which includes polymerase chain reaction (PCR) and semi quantitative PCR. Also, 30% to 60% of the toxins used in intensive care units (ICU) were found to be not based on good evidence, incorrect, or not the best possible choices (Nguyen et al., 2022).

Width of the Farm

In a world where antibiotics are commonly used in animals, more than 80% of the antibiotics sold in the United States are given to animals, mostly to help them grow and stay healthy. Over 35 years ago, the first major efforts were made to control diseases and pests in animals. (National et al.,1996)As time passed, farmers found better ways to track animals and manage waste, ensuring that safe and clean meat reaches consumers. This process has

Online ISSN 3007-3197
Print ISSN 3007-3189

several steps: first, killing harmful germs so the body can build up its defenses, and second, making sure that tiny particles in food are safe for humans. However, if these tiny particles are harmful, they can lead to sickness and other health problems in people. (Seaton et al.,2010)

Antitoxic and Antibiotics

Antitoxic medicines are used in the United States and other places. (Sparreboom et al.,2004)In 2011, a group of doctors who study infections, through the IDSA Emerging Infections Network, found that more than 60% of the people they talked to had seen a bacterial infection that wasn't very serious, but couldn't be cured within a year. Some lawyers have described how common germs spread quickly as "emergency situations" or "bad moods" that could lead to "serious problems." In 2013, the CDC said people are still in the "Pre-Vaccination Period," and in 2014, the World Health Organization (WHO) said that controlling pre-eclampsia has become even more of a concern. MDR microorganisms have been identified as a major threat to public health and safety in the U.S. by the IDSA and the Institute of Medicine, as reported by the Department of Medicine and Antimicrobial Resistance in the United States.

Genes that don't work properly can cause problems, especially when all the medicines used to fight microbes are no longer effective, which can weaken the immune system. There has been an increase in gram-negative MDR bacteria, along with a difficult-to-process diet, which has affected behavior in each pharmacokinetics.

The most common gram-negative bacteria in healthcare settings are Enterobacteriaceae, which usually include Klebsiella pneumoniae, Pseudomonas aeruginosa, and Acinetobacter. (Cerceo et al.,2016)Gram-negative MDR germs are spreading quickly in cities. These germs help create the beta-lactamase complex that affects Escherichia coli and Neisseria gonorrhoeae. MRSA is resistant to penicillin-like beta-lactam antibiotics,

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journa

including cefobobrol. However, MRSA has changed over time and in different places such as clinics, local areas, and especially in animals.

This has made it challenging to understand how MRSA spreads and has led to an experiment for contamination control panels that only looked at germs related to medical services (HAI). Coia JE, (Duckworth et al.,2006).Despite this, protection for professionals against MRSA usually happens through transformation. Bacterial resistance to linezolid, along with toxins and glycopeptide, is a serious issue. (Diep et al.,2012)VRE is a big problem in divorce cases. Enterococci can cause many illnesses, especially for people in hospitals or other medical places, like blood infections, heart infections, and other kinds of infections. (Malani et al.,2002)Enterococcus faecium and, to some extent, Enterococcus faecalis cause fewer and less serious issues than MRSA around the world, except in the US and some European countries. In the US, about 66,000 infections from enterococci that happen in hospitals are expected every year. How well vancomycin works as a treatment depends on the type of bacteria. Overall, 20,000 (30%) of ambulance clinics are affected by vancomycin-resistant enterococcal infections each year, which leads to about 1,300 deaths.

Drug-resistant Mycobacterium tuberculosis is a serious problem in the US and even worse in other parts of the world. In 2012, the WHO reported that 170,000 people were infected with drug-resistant tuberculosis. Mycobacterium tuberculosis spreads through the air. Infections from this bacterium can affect any part of the body, but most often the lungs. (Shiloh et al.,2016)In 2011, out of 10,528 tuberculosis cases reported in the US, 1,042 were drug-resistant, which is 9.9%. The main problems with treating TB are using the wrong, incorrect, or unavailable treatments, along with a lack of new medicines. Pseudomonas aeruginosa is a common cause of hospital-acquired infections like pneumonia, lung infections, urinary tract infections, and serious infections in other parts of the body. (Farzin et al.,2023)In the US,

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journa

more than 6,000 (13%) of the 51,000 Pseudomonas aeruginosa-related cases each year are multidrug-resistant (MDR). These infections lead to about 400 hospital stays each year. (Glance et al.,2011)Some MDR strains of Pseudomonas aeruginosa are resistant to almost all antibiotics, including aminoglycosides, cephalosporins, fluoroquinolones, and carbapenems. (Horcajada et al.,2019)

Biofilms

More drugs are being studied. Health professionals can get drug-resistant Staphylococcus aureus (MRSA) from patients in hospitals, other medical settings, family doctors, and even pets. (Boyce et al.,2005)There is broad agreement on reports and models that explain how MRSA can be used to store and transport health-related items. Riage can be found in many areas and comes in short, medium, and long forms. (Siegel et al.,2019)A lot of work has been done to stop the spread of infectious diseases, but most of these efforts focus on cleaning and treating MRSA-related workers. The needs of health professionals and certified individuals are considered in many different ways, and there have been many disagreements as doctors have become more involved. Now there is a lot of support for the practices and treatments by professional doctors, but the effectiveness should consider the liver, the nature of the disease, and how serious the spread of the disease is.

However, making this biofilm in large quantities is difficult because of poor water quality and weak cooperation with other bacteria. (Sabater et al.,2022)When bacteria are not resistant to many drugs, the chance of forming a large biofilm decreases by 60%, and the biofilm that forms is not as thick. The practice of controlling attraction in all places should be based on national and international laws, should be respected, and should be based on the needs of the community, and should be carefully considered. Staphylococcus aureus is a specialist among local pathologists, pathologists,

Online ISSN 3007-3197
Print ISSN 3007-3189

and medical professionals. While most studies have focused on methicillin-resistant Staphylococcus aureus (MRSA) variants, methicillin-sensitive Staphylococcus aureus (MSSA) is the most common type of infection. (Rasheed et al.,2021)The spread of Staphylococcus aureus, especially MRSA, has changed quickly in recent years. The first type of drug-resistant treatment, MRSA, has recently appeared in the community and in animal farming because of its ability to start and adapt to conditions. Global studies show that MRSA is a worldwide issue, with a high number of deaths and a need for less expensive vaccines. Staphylococcus aureus is sensitive to drugs, while MRSA is resistant to these drugs. (Loeb et al.,1996)

Conclusion

Antibiotic resistance has grown to be a serious threat to global health due to misuse, overprescription, and biofilm-mediated pathogen protection. Due to the growing clinical, financial, and societal costs of antibiotics, timely action through stewardship, surveillance, novel treatments, and public awareness is required to preserve the efficacy of antibiotics and save future generations.

References

Abat C, Gautret P, Raoult D. Benefits of antibiotics burden in low-income countries. Proceedings of the National Academy of Sciences. 2018 Aug 28;115(35):E8109-10.

Boyce JM, Cookson B, Christiansen K, Hori S, Vuopio-Varkila J, Kocagöz S, Öztop AY, Vandenbroucke-Grauls CM, Harbarth S, Pittet D. Meticillin-resistant Staphylococcus aureus. The Lancet infectious diseases. 2005 Oct 1;5(10):653-63.

Cerceo E, Deitelzweig SB, Sherman BM, Amin AN. Multidrug-resistant gram-negative bacterial infections in the hospital setting: overview, implications for clinical practice, and emerging treatment options. Microbial Drug Resistance. 2016 Jul 1;22(5):412-31.

Online ISSN 3007-3197
Print ISSN 3007-3189

Coia JE, Duckworth GJ, Edwards DI, Farrington M, Fry C, Humphreys H, Mallaghan C, Tucker DR, Joint Working Party of the British Society of Antimicrobial Chemotherapy. Guidelines for the control and prevention of meticillin-resistant Staphylococcus aureus (MRSA) in healthcare facilities. Journal of hospital infection. 2006 May 1;63:S1-44.

Diep BA, Equils O, Huang DB, Gladue R. Linezolid effects on bacterial toxin production and host immune response: review of the evidence. Current therapeutic research. 2012 Jun 1;73(3):86-102.

Farzin A, Rahman MM, Mollika FA. Pseudomonas aeruginosa: the alarming pathogen of hospital acquired infection. InPseudomonas aeruginosa-New Perspectives and Applications 2023 Feb 23. IntechOpen.

Fernández, L., Cima-Cabal, M. D., Duarte, A. C., Rodriguez, A., García, P., & García-Suárez, M. D. M. (2020). Developing diagnostic and therapeutic approaches to bacterial infections for a new era: implications of globalization. *Antibiotics*, *9*(12), 916.

Gajdács, M. (2019). The continuing threat of methicillin-resistant Staphylococcus aureus. *Antibiotics*, *8*(2), 52.

Glance LG, Stone PW, Mukamel DB, Dick AW. Increases in mortality, length of stay, and cost associated with hospital-acquired infections in trauma patients. Archives of surgery. 2011 Jul 18;146(7):794-801.

Horcajada JP, Montero M, Oliver A, Sorlí L, Luque S, Gómez-Zorrilla S, Benito N, Grau S. Epidemiology and treatment of multidrug-resistant and extensively drug-resistant Pseudomonas aeruginosa infections. Clinical microbiology reviews. 2019 Sep 18;32(4):10-128.

Loeb MB, Main C, Eady A, Walkers-Dilks C, Cochrane Wounds Group. Antimicrobial drugs for treating methicillin-resistant Staphylococcus aureus colonization. Cochrane Database of Systematic Reviews. 1996 Sep 1;2010(1).

Lowry, C. A., Smith, D. G., Siebler, P. H., Schmidt, D., Stamper, C. E., Hassell Jr, J. E., ... & Rook, G. A. (2016). The microbiota, immunoregulation, and mental

Online ISSN 3007-3197
Print ISSN 3007-3189

health: implications for public health. *Current environmental health reports*, *3*(3), 270-286.

Malani PN, Kauffman CA, Zervos MJ. Enterococcal disease, epidemiology, and treatment. The enterococci: pathogenesis, molecular biology, and antibiotic resistance. 2002 May 28:385-408.

National Academies of Sciences, Medicine, Medicine Division, & Committee on Strategies for Implementing Physical Activity Surveillance. (2019). Implementing strategies to enhance public health surveillance of physical activity in the United States.

National Research Council, Committee on Pest, Pathogen Control Through Management of Biological Control Agents, Enhanced Cycles, Natural Processes. Ecologically based pest management: new solutions for a new century. National Academies Press; 1996 Apr 21.

Nguyen KT, Pham ST, Vo TP, Duong CX, Perwitasari DA, Truong NH, Quach DT, Nguyen TN, Duong VT, Nguyen PM, Nguyen TH. Pneumonia: Drug-Related Problems and Hospital. Pneumonia. 2022 May 11:27.

Rasheed NA, Hussein NR. Staphylococcus aureus: an overview of discovery, characteristics, epidemiology, virulence factors and antimicrobial sensitivity. European Journal of Molecular & Clinical Medicine. 2021;8(3):1160-83.

Siddique B, Khan W, Rauf U. Bullying behavior and human health: factors and causes. PalArch's Journal of Archaeology of Egypt/Egyptology. 2023;20(2):860-81.

Siegel JD, Rhinehart E, Jackson M, Chiarello L, Healthcare Infection Control Practices Advisory Committee. 2007 Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Health Care Settings [Internet]. 2019 May

Online ISSN 3007-3197
Print ISSN 3007-3189

Sparreboom A, Cox MC, Acharya MR, Figg WD. Herbal remedies in the United States: potential adverse interactions with anticancer agents. Journal of clinical oncology. 2004 Jun 15;22(12):2489-503.

Seaton A, Tran L, Aitken R, Donaldson K. Nanoparticles, human health hazard and regulation. Journal of the Royal Society Interface. 2010 Feb 6;7(suppl_1):S119-29.

Shiloh MU. Mechanisms of mycobacterial transmission: how does Mycobacterium tuberculosis enter and escape from the human host. Future microbiology. 2016 Dec 1;11(12):1503-6.

Sabater S, Guasch H, Romaní A, Muñoz I. The effect of biological factors on the efficiency of river biofilms in improving water quality. Hydrobiologia. 2002 Feb;469(1):149-56.

Yusuf, K., Sampath, V., & Umar, S. (2023). Bacterial infections and cancer: exploring this association and its implications for cancer patients. *International Journal of Molecular Sciences*, *24*(4), 3110.