Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

Artificial Intelligence in Mental Health Assessment and Therapy

Zarina Naz*

MSN, MHPE Scholar, National University of Medical Sciences, Rawalpindi, Pakistan. Corresponding Author Email: zarinanazsalim@yahoo.com

Dr. Nadeem Ahmad Malik

PMAS-Arid Agriculture University Rawalpindi. Email: Nadeem.malik@uaar.edu.pk

ABSTRACT

Depression, anxiety, PTSD, bipolar disorder are mental health disorders that are increasingly becoming health issues in the world. This is further complicated by the fact that there is no early diagnosis and treatment. In this field, artificial intelligence (AI) is becoming an innovative instrument. It provides objective, personalized and scalable methods of treating and evaluating patients. This literature review examines some AI applications in mental health. These are machine-learning model, natural-language processing, and multimodal data analysis which aid in early detection of problems and risk evaluation. Digital cognitive-behavioral therapy (CBT), virtual-reality exposure therapy, and telepsychiatry platforms are built depending on the needs of a particular patient and are AI-based. They increase engagement, compliance and treatment efficacy. Some new features like emotional-recognition systems, wearable sensors, and electronic-health-record integrations are the ones that provide round-the-clock monitoring and render the treatment plans dynamic. The benefits of the possible nature are enormous: the speed of symptomatic response, prevention of relapse, increased opportunities for care access, and reduced burden on clinicians. Privacy of data, algorithm bias, interpretability, digital literacy, and ethical issues should be addressed to make responsible and fair use. Explainable AI, predictive digital twins, cross-cultural validation, and standardized protocols are all areas of future research that will be utilized to integrate AI into practice seamlessly. Ai can transform the mental-health evaluation and treatment by collaborating with human intelligence. It provides active, accurate, patient-centered care without losing clinician judgment and patient-centered decision making.

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

Keywords: Artificial intelligence, mental health, digital therapy, cognitive behavioral therapy, predictive analytics, telepsychiatry, emotion recognition, AI ethics.

1. Introduction

The psychological conditions, that cover depression, anxiety, and PTSD, bipolar disorder and schizophrenia, are a significant burden to the overall population of the world as it involves hundreds of millions of people [1]. World Health Organization reports that almost every fourth of all the population will experience a mental health condition during his or her lifetime, yet in most cases they cannot be diagnosed promptly, treated and their way to recovery is frequently complicated with the absence of trained specialists, stigma and institutional barriers. The traditional methods of testing are self-reported, clinical interview, behavioral observations, which can be subjective and modifiable. There exist effective treatments, which possibly have limited accessibility, cost and patient compliance. Delay in diagnostics and treatment can only worsen the outcomes, complicate the disease further and cause a further burden to society [2, 3]. Mental care can be transformed with the implementation of artificial intelligence (AI), which offers objective, scalable and adjustable assessment and therapy tools. AIs such as machine learning, natural language processing, computer vision and predictive analytics, can process complex data, such as speech or social media or wearable sensor data, and determine the first signs of poor mental health. As AI-based treatment methods that can be applied as additional care delivery mechanisms, digital CBT programs and virtual-reality exposure interventions can provide a patient with a highly individualized treatment and continuous interaction. These can be used by medical practitioners, ICU and psychiatrists to improve decision making, follow up progress, and optimize outcomes [4, 5]. The analysis of the existing use of AI in mental health assessment and treatment, the benefits and limitations of AI-based methods, and their effects on patient outcomes will be the purposes of this review. It is also concerned with practical concerns of the application of AI to clinical practice, concerns of ethics and the future of responsible development. This article offers a general overview of how AI could be deployed to benefit clinicians and improve the availability, quality, and

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

effectiveness of mental health care following an evaluation of available evidence [6].

2. Mental Health Artificial Intelligence Examination

The use of AI in the early diagnosis and detection of mental health problems will become significant. Trained machine-learning models based on high amounts of clinical, behavioral and digital phenotyping data can detect the presence of subtle patterns which are predictive of conditions like depression, anxiety or bipolar disorder, prior to the development of severe symptoms. The textual data (interview with patients, transcripts of a therapy, and data on social media) are processed using natural-language-processing algorithms to detect any linguistic signs of mood disorders, cognitive errors, or suicidal thoughts [7, 8]. The AI systems will be able to sense the emotional conditions very sensitively as the facial expressions, eye movements, and micro-expressions cannot exist without computer-vision algorithms. Wearable sensors and mobile devices track physiological and behavioral data, such as heart-rate variability, sleep patterns, activity levels, speech prosody, and can be actively monitored and anomalies that may indicate the onset of mental health problems are identified [9, 10]. Besides detection, AI facilitates predictive analytics in the mental health sector to recognize high-risk patients likely to commit suicide, experience relapses, or become resistant to treatment. The prediction of deterioration is made using longitudinal data that combines the electronic health record, wearable and patient-reported outcomes data to produce risk scores and detect early deterioration [11, 12]. Indicatively, the past symptom dynamics and activity logs can be modeled to anticipate manic relapses or depression instances in bipolar disorder with machine-learning algorithms. These predictions can be utilized to apply preventive interventions that will assist clinicians to tailor therapy and take preventive measures and more productive resource distribution [13, 14].

AI is expanding the possibilities of mental health care providing scalable, customized, and interactive care that can be used as a supplement to traditional care. Application of AI in treatment may also be called digital CBT, virtual-reality exposure therapy, personalized treatment recommendation, and AI-enabled telepsychiatry. These technologies improve accessibility especially where there is distance or underserving, and real-time monitoring of access, participation, and

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

adherence, which are essential to maximizing the performance [15, 16]. Digital CBT systems implement algorithms of AI to offer interventions systematically through web or mobile applications. Chatbots, such as Woebot and Wysa, replicate the language of a human and guide a patient through CBT programs by analyzing patient feedback, detecting cognitive distortions and giving adaptive feedback. The use of natural-language-processing allows such systems to identify the input of an individual user, the tone of the feelings and tailor interventions. Studies show that AI based CBT can improve the effects of depression and anxiety symptoms especially in cases of shortage of professionals. Follow-ups, rate of involvement, and success rates also track the development of AI giving therapists valuable insights to adjust plans [17, 18]. Virtual reality exposure therapy (VR -ET) is another AI-based intervention that is particularly helpful in anxiety disorders, phobia, and PTSD. In reality, AI algorithms adjust the intensity of exposure and the pacing rate based on physiological changes of the heart rate or skin conductance. VR-ET offers the patient a secure, regulated environment to cope with the anxiety-inducing conditions that enhances effectiveness and engagement. AI will ensure exposure hierarchy personalization dynamically thereby improving outcomes and reducing chances of dropout [19, 20]. AI can provide a personalized therapy through multimodal patient data, clinical history, symptom profiles, genetic data and real time behavioral data processed to provide personalized treatment plans. Machine-learning models propose the most effective interventions, entailing side-effects, and propose changes based on the expected reactions. Reinforcement-learning algorithms allow AI to modify the level, content or frequency of treatment according to the results seen. This kind of personal treatment will help to provide the accurate care, improve the compliance rates and provide the maximum of the effectiveness because it will address the gap between the standard operations and personal needs [21-23].

The continuity of remote monitoring, the possibility of identifying deterioration, and timely intervention occur only in the telepsychiatry platforms that include AI integration. Mood, sleep, activity, and social interactions are tracked using mobile apps that use AI. Baseline deviations evoke patient and clinician alerts

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

to enable proactive therapies to be made. These applications also increase the level of engagement by providing interactive feedback, psychoeducational tools, and self-management tools. Combined with video consultations, AI-enhanced telepsychiatry ensures continuity of care and expands access to mental health services globally, particularly during crises such as pandemics or in rural communities [16, 24, 25].

Table 2.1: ***AI Tools in Mental Health Therapy***

Tool / Platform	AI Function	Therapeutic Application	Key Benefits
Woebot	NLP-driven chatbot	Digital CBT for depression and anxiety	24/7 support, personalized feedback, engagement tracking
Wysa	AI-guided conversational therapy	Emotional support, stress management	Adaptive responses, self-paced modules, anonymity
VR-ET Systems	AI-controlled VR exposure	PTSD, phobias, anxiety	Real-time adaptation, safe exposure, enhanced engagement
Mindstrong	Predictive analytics + digital phenotyping	Depression, bipolar disorder	Early relapse detection, therapy adjustment recommendations
Tess	AI-supported text messaging	Emotional health coaching	Continuous monitoring, scalable delivery, adaptive content
Telepsychiatry Platforms	AI risk scoring + EHR integration	Remote therapy and monitoring	Early warning alerts, continuity of care, improved access

3. Advanced Technologies & Integration

There is an adoption of advanced technologies in mental health care, which has altered the manner in which artificial intelligence (AI) assists during assessment and therapy. The current AI systems make use of multimodal data, which is a composite of speech, text, facial expressions, physiological indicators, and behavioral patterns

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

to produce an overview of the mental state of an individual [26, 27]. Multimodal AI increases accuracy of diagnosis by detecting subtle non-verbal cues that may otherwise not be detected in the traditional testing, facilitating the prevention of mood disorders, anxiety, and cognitive decline at an early stage. As an example, deep learning machines use a composite of speech prosody, facial micro-expressions, and eye movement patterns to detect the presence of depressive or anxious states with high sensitivity, giving the clinician and therapist information that can be acted upon to shape the intervention plan [28, 29]. Combination with electronic health records (EHRs) and clinical decision support systems (CDSS) enhances further the usefulness of AI in mental health. Predictive scores, risk evaluation, and personalized therapy recommendations can be generated by aggregating the past medical records, laboratory findings, prescription records, and current patient-reported outcomes with the help of AI models. Such insights are available to nurses, psychiatrists, and psychologists through clinician dashboards which summarize patterns, indicate warning signs and propose data-driven interventions [30, 31]. Integrating AI with EHRs can help to make sure that patient care is not only reactive but anticipatory, allowing timely recognition of the worsening of symptoms, recurrence, or suicidal thoughts, and increasing the care when necessary [12]. Convolutional neural networks and recurrent neural networks have been used to create emotion recognition systems that are more advanced. These systems identify the emotional states based on constant analysis of the voice tone, facial expression, postures, and physiological reactions and give the patient and clinician real-time feedback. This type of AI-based feedback allows creating adaptive therapy sessions in which the interventions are dynamically adjusted based on the current emotional and cognitive state of a patient [32, 33]. The example is that in digital CBT or VR exposure therapy, AI can also respond to physiological stress indicators to increase or decrease the intensity of tasks, maximizing the effectiveness and interest of the treatment.

The AI supports cross-platform integration and enables wearable devices, mobile apps, telepsychiatry interface, and desktop therapy device to work together. The information of various sources, e.g., sleep tracking, heart rate measurement,

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

motion sensors, and self-reported mood testing, is displayed in a central AI system and interpreted by trends and patterns. Such an integrated approach allows clinicians to identify warning signs that they might not have identified when using independent datasets and allows a more personalized and precision-focused model of mental health care [34, 35]. Although these advantages are present, such integration needs to be approached with greater care towards the privacy of data, interoperability, and the adaptation of clinical workflow. Ethics and regulation, e.g. informed consent, algorithmic transparency, bias mitigation, etc., play a significant role in promoting patient trust and fair care delivery. Using proper precautions, improved technologies and AI implementation can transform the world of mental health diagnosis and treatment, producing scalable, continuous, and extremely customized treatment [36, 37].

4. Advantages and Disadvantages of AI in Mental Health

Artificial intelligence (AI) has provided a paradigm shift in mental healthcare through providing scaled, person-identified, and 24/7 evaluations and treatment services. One of the most important AI benefits is the early diagnosis and detection of mental illnesses. The machine learning algorithms process large amounts of data including speech patterns, social media activity, wearable sensor data, etc. to identify minor behavioral and physiological variations that happen before overt symptoms appear. This early identification will help clinicians to establish early interventions, minimize the severity of symptoms, and avoid chronicity or relapse [38, 39]. The individualized and flexible therapy, where people are treated uniquely according to their individual needs, is also fostered by AI. Digital CBT systems, chatbots, and exposure therapy systems using virtual reality adapt their content and intensity of stimulus in real-time in response to patient reactions, engagement, and physiological response. This kind of personalization improves patient adherence, engagement, and therapeutic efficacy in general [40]. Moreover, AI can help support in the continuous remote monitoring of the patient, enabling clinicians to monitor their progress, anticipate probable relapses, and make decisions based on the available information and modify treatment regimes. The combination of telepsychiatry platforms and AI allows reaching underserved groups with mental health care,

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

minimizing geographical and logistical issues [41].

The introduction of AI in mental health care is accompanied by a number of limitations and challenges despite all these benefits. The issue of privacy and security will also be one of the central concerns since AI systems will require such sensitive personal information as behavioral patterns, speech, and physiological data. To guarantee the patients that their information is safe, safe storage of the information, its approval and compliance with such regulatory instruments as HIPAA or GDPR is of paramount importance. Another issue is algorithmic bias: AI models, which are trained on small or non-representative data sets, can provide inaccurate predictions that can also increase inequalities in care [42, 43]. The interpretability of AI decision also becomes a problem since clinicians should learn and have faith in AI-conceived suggestions to incorporate them into patient care without exposing them to danger [44]. Other restrictions are the issue of digital literacy and access. Patients that are less familiar with technology might encounter the challenge of using AI-driven tools and it might decrease engagement and efficacy. In addition, excessive dependence on AI can lead to the fact that the key role of human clinical judgment could be reduced, which is why AI should become an augmentative and not a replacement tool. All AI deployment solutions need to take into account ethical aspects, including autonomy, informed consent, and the prevention of algorithmic harm [45, 46]. Finally, even though AI provides more opportunities than ever to improve mental health assessment and treatment by detecting early, customizing and constantly monitoring the patient, it is paramount to consider ethical, technical and practical constraints. A responsible implementation approach will make AI able to assist clinicians in offering safe, effective, and equitable mental health care [36].

5. AI and its Importance to Patient Outcomes in Mental Health

Artificial intelligence (AI) can make a substantial contribution to better patient outcomes within the mental health care setting by boosting the levels of early detection, tailoring therapeutic interventions, and assisting with continuous monitoring. The research has always indicated that early detection of the decline in mental illness is the key element in minimizing the severity of symptoms, preventing

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

the relapse, and enhancing the overall quality of life [38]. Clinicians can understand early in the progression of a disease that subtle changes in behavior, speech and physiological pattern are occurring and that they have been detected by the AI-enabled systems prior to the clinical symptoms appearing in full. Timely treatment based on AI-guided interventions help reduce the severity and length of depressive episodes, reduce the incidence of anxiety exacerbations, and reduce the likelihood of relapse in chronic diseases, including bipolar disorder or schizophrenia [47, 48]. Digital CBT and VR exposure therapy are AI-oriented therapy platforms to enhance effective treatment adherence and engagement. They apply real-time feedback and adaptive content to ensure that patients remain motivated and implement interventions that are challenging in relation to their emotional and cognitive conditions. This individualization accelerates the relieving of symptoms and improves the long-term outcomes [19, 49]. For example, continuous psychoeducation, coping skills, and emotional support can be offered using AI chatbots in between sessions and care gaps and support clinician-led therapy.

AI is used with Telepsychiatry, which expands access to care, especially in remote and underserved regions. Continuous monitoring of mood, sleep, and activity must be conducted to enable clinicians to operate at the first level and minimize the risk of the crisis or hospital stays. Integrating AI knowledge into the clinical processes, multidisciplinary teams include psychiatrists, psychologists, nurses; they can make a more reasonable decision regarding medication changes, therapy intensity, or urgent care [50, 51]. Other than clinical benefits, AI-assisted mental-health care adds to the system burdens. Early diagnosis reduces emergency cases, hospitalization, and rigorous treatment requirements. Patients under AI support heal at a quicker pace, operate more efficiently, and have lesser expenses. AI tools also facilitate workload of clinicians by providing constant monitoring and data synthesis, and thus, enabling them to be more focused on patients in their interactions [52].

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

Table 5.2: ***Outcomes associated with AI-assisted vs traditional mental health care***

Outcome	AI-Assisted Care	Traditional Care
Early Detection	High sensitivity to subtle changes	Often delayed, dependent on patient reporting
Treatment Adherence	Improved via adaptive interventions	Variable, dependent on patient motivation
Symptom Reduction	Faster and sustained	Slower, may require longer therapy
Access to Care	Remote monitoring and telepsychiatry	Limited by geographic and resource constraints
Relapse Prevention	Predictive analytics reduce relapse	Reactive interventions, higher relapse rates
Clinician Workload	Reduced through automated monitoring and alerts	Higher, continuous manual monitoring required

The integration of AI demonstrates that patient-centered data-driven care improves patient outcomes, increases access, and simplifies service delivery. Combining predictive modeling, adaptive therapy, and continuous monitoring will make AI an essential collaborator to the traditional care and will provide timely interventions and long-term well-being support [53, 54].

6. Training, Clinical Integration, and Education

Mental-health assessment and therapy, which involves the adoption of AI, depend on the education and training of clinicians, including psychiatrists and nurses. Specialized programs assist clinicians to decode AI information, combine predictive knowledge into choices and modify therapy according to algorithm suggestions. Training includes machine learning, natural language processing and multimodal data analysis, their boundaries and shortcomings. The modules based on simulation provide practical experience, as they allow clinicians to test AI platforms, process their results, and respond to evolving patient data [55-57].

The development of competency emphasizes collaboration in an interdisciplinary team. The application of AI in workflows requires the cooperation between clinicians,

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189

http://amresearchreview.com/index.php/Journal/about

data scientists, IT teams and administrators in order to use AI in a way that is ethical and safe. Organized instructions, shared practices, and continuous professional learning can assist clinicians to remain competent, increase participation and enhance performance. They also train patients on digital literacy to ensure that they correctly use AI applications, mobile monitoring, and virtual therapy platforms [58, 59].

7. Difficulties in AI Implementation

There are significant challenges that restrain the promise of AI. In order to preserve the privacy and security, it is extremely important since the AI requires sensitive information, such as Speech, behavior, physiology, digital activity. The confidentiality is ensured by adherence to HIPAA, GDPR, etc. There is also a risk of algorithmic bias; non-representative learning data might make incorrect predictions or increase health disparities, particularly with minorities [60, 61]. Limited adoption is also constrained by the confidence of clinicians in the results of AI. In cases where the models are opaque, the users are afraid to trust the recommendations. When patients are not digitally literate or access devices, the quality of patient engagement is diminished. Moreover, AI should be integrated into existing practices with caution to avoid over- and under-automation as well as disruption of clinician-patient relationships [60, 62].

8. Future Directions

The purpose of AI in mental health in the future is to enhance accuracy, openness, and patient-centeredness. Explainable AI (XAI) provides clinicians with a coherent explanation of why a prediction and recommendations are made. One-to-one plans and risk checks can be carried out through the use of predictive digital twins, which are the virtual patient models simulating responses. Early-intervention programs in schools, workplaces, and community settings that are implemented using AI have the potential to identify at-risk people before they decline.

The uniformity of AI-based early warning systems between institutions will increase consistency, reliability and integration of protocols. Cross-cultural validation is a measure to make sure that models are applicable and equitable across different groups. Combining AI and virtual reality, wearable biosensors, and

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

multimodal emotion-recognition will enhance real-time evaluation, adaptive treatment, and real-time monitoring. Studies should assess the clinical efficacy, ethical implementation, and patient results to influence the best practices and policies.

9. Conclusion

AI may become an incredibly powerful partner in traditional mental-health evaluation and care since the model results in continuous, personalized, and scalable care. It recognizes the least noticeable behavioral and physiological transformations at the first level, motivates adaptive responses and opens opportunities by using telepsychiatry and the Internet space. Nevertheless, regardless of the issues, including the aspect of privacy, there is never too little to realize AI integration into practice via specific education and training, interdisciplinary cooperation. Together with predictive analytics, multimodal monitoring, and AI-based therapy, they enable clinicians to provide more concise, more accurate, and effective care and improve their outcomes and decrease their relapses, hospitalizations, and long-term disability. Ethics, regulation, and good evidence are fundamental to the successful implementation of AI and are the key to seeing the full potential of AI. Finally, AI is expected to complement and not to replace human experience, adding to the judgement, empathy, and decision-making.

10. References

1. Chaudhari, K., Dhapkas, M.P., Kumar, A., and Ingle, R.: 'Mental disorders–a serious global concern that needs to address', Int J Pharm Qual Assur, 2024, 15, (02), pp. 973-978
2. Babu, A., and Joseph, A.P.: 'Artificial intelligence in mental healthcare: transformative potential vs. the necessity of human interaction', Frontiers in Psychology, 2024, 15, pp. 1378904
3. Taliaz, D., and Souery, D.: 'A new characterization of mental health disorders using digital behavioral data: evidence from major depressive disorder', Journal of Clinical Medicine, 2021, 10, (14), pp. 3109
4. Bhalsing, A.R., and Kul, S.R.: 'AI-Driven Behavioral Insights for Personalized Mental Health', IJSAT-International Journal on Science and Technology, 2025,

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

16, (2)

5. Zhang, Z., and Wang, J.: 'Can AI replace psychotherapists? Exploring the future of mental health care', Frontiers in psychiatry, 2024, 15, pp. 1444382
6. Atias, V., and Atias, K.: 'Methods and applications of artificial intelligence in mental health care', in Editor (Ed.)^(Eds.): 'Book Methods and applications of artificial intelligence in mental health care' (IEEE, 2024, edn.), pp. 614-620
7. Mansoor, M.A., and Ansari, K.H.: 'Early detection of mental health crises through artificial-intelligence-powered social media analysis: A prospective observational study', Journal of personalized medicine, 2024, 14, (9), pp. 958
8. Verma, S., Joshi, R.C., Dutta, M.K., Jezek, S., and Burget, R.: 'AI-enhanced mental health diagnosis: leveraging transformers for early detection of depression tendency in textual data', in Editor (Ed.)^(Eds.): 'Book AI-enhanced mental health diagnosis: leveraging transformers for early detection of depression tendency in textual data' (IEEE, 2023, edn.), pp. 56-61
9. Kargarandehkordi, A., Li, S., Lin, K., Phillips, K.T., Benzo, R.M., and Washington, P.: 'Fusing wearable biosensors with artificial intelligence for mental health monitoring: A systematic review', Biosensors, 2025, 15, (4), pp. 202
10. Bai, V.D.M., and Kirubadharshini, S.: 'Smart Band Enabled AI-System for Mental Health Tracking', International Journal of Scientific Research in Science, Engineering and Technology, 2025, 12, (3), pp. 183-191
11. Zim, M.K.I., and Hanif, M.A.: 'Predictive Analytics in Mental Health: AI for Identifying Risk Factors and Preventing Crises', in Editor (Ed.)^(Eds.): 'Book Predictive Analytics in Mental Health: AI for Identifying Risk Factors and Preventing Crises' (IEEE, 2025, edn.), pp. 1-8
12. Adepoju, A.G., Adepoju, D.A., Cheruiyot, D.K., Adepoju, S.A., Obaje, A.A., Adefiwitan, J.A., and Omotoye, B.S.: 'AI in Crisis Prediction and Prevention: Leveraging Predictive Analytics for Suicide Risk and Emotional Distress Management', 2025
13. Llamocca, P., López, V., and Čukić, M.: 'The proposition for bipolar depression forecasting based on wearable data collection', Frontiers in Physiology, 2022, 12,

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

pp. 777137

14. Liu, X., Xu, Z., Li, W., Zhou, Z., and Jia, X.: 'Clinical application of machine learning methods in psychiatric disorders', in Editor (Ed.)^(Eds.): 'Book Clinical application of machine learning methods in psychiatric disorders' (Frontiers Media SA, 2023, edn.), pp. 1209615
15. Mittal, A., Dumka, L., and Mohan, L.: 'A comprehensive review on the use of artificial intelligence in mental health care', in Editor (Ed.)^(Eds.): 'Book A comprehensive review on the use of artificial intelligence in mental health care' (IEEE, 2023, edn.), pp. 1-5
16. Ni, Y., and Jia, F.: 'A scoping review of AI-Driven digital interventions in mental health care: mapping applications across screening, support, monitoring, prevention, and clinical education', in Editor (Ed.)^(Eds.): 'Book A scoping review of AI-Driven digital interventions in mental health care: mapping applications across screening, support, monitoring, prevention, and clinical education' (MDPI, 2025, edn.), pp. 1205
17. Zhong, W., Luo, J., and Zhang, H.: 'The therapeutic effectiveness of artificial intelligence-based chatbots in alleviation of depressive and anxiety symptoms in short-course treatments: a systematic review and meta-analysis', Journal of affective disorders, 2024, 356, pp. 459-469
18. Farzan, M., Ebrahimi, H., Pourali, M., and Sabeti, F.: 'Artificial intelligence-powered cognitive behavioral therapy chatbots, a systematic review', Iranian journal of psychiatry, 2025, 20, (1), pp. 102
19. Gomes, P.V., Sá, V.J., Donga, J., Marques, A., Gomes, B., Almeida, R.S.d., and Pereira-Loureiro, J.: 'The use of artificial intelligence in interactive virtual reality adaptive environments with real-time biofeedback applied to phobias psychotherapy', 2023
20. Zelis, H., Kubanka, T., and Williams, L.: 'Adaptive Virtual Reality Exposure Therapy with Biofeedback', in Editor (Ed.)^(Eds.): 'Book Adaptive Virtual Reality Exposure Therapy with Biofeedback' (IEEE, 2025, edn.), pp. 1059-1060
21. Gayathri, R., Sangeetha, S., Sangeetha, R., Mary, G.L.R., Mathivanan, S.K., and Usha, M.: 'Dynamic AI-Enhanced Therapeutic Framework for Precision

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

Medicine Using Multi-Modal Data and Patient-Centric Reinforcement Learning', IEEE Access, 2025

22. Lin, R.: 'AI-Driven Personalized Healthcare: Leveraging Multimodal Data for Precision Medicine', in Editor (Ed.)^(Eds.): 'Book AI-Driven Personalized Healthcare: Leveraging Multimodal Data for Precision Medicine' (IEEE, 2024, edn.), pp. 693-697
23. Banumathi, K., Venkatesan, L., Benjamin, L.S., Vijayalakshmi, K., Satchi, N.S., and Satchi IV, N.S.: 'Reinforcement learning in personalized medicine: A comprehensive review of treatment optimization strategies', Cureus, 2025, 17, (4)
24. Rao, B.P., Sanka, V.R., Nellikondi, R., Boyilla, L.S., and Kasturi, R.: 'AI-based Mental Health Management', in Editor (Ed.)^(Eds.): 'Book AI-based Mental Health Management' (IEEE, 2025, edn.), pp. 1-6
25. Gude, J., Subhedar, R.V., Zhang, M.H., Jain, P., Bhela, J., Bangash, F., Veluri, N., Hsieh, Y.-C., Sheikh, B.Z., and Shah, M.R.: 'Emerging needs and viability of telepsychiatry during and post COVID-19 era: a literature review', Cureus, 2021, 13, (8), pp. e16974
26. Hong, Y., and Xia, Z.: 'AI-Driven Innovations in Psychological Assessment: Multimodal Data, Intelligent Analytics, and Ethical Challenges', in Editor (Ed.)^(Eds.): 'Book AI-Driven Innovations in Psychological Assessment: Multimodal Data, Intelligent Analytics, and Ethical Challenges' (2025, edn.), pp. 854-859
27. Wadhawan, N., Bhatia, S., Mathur, S., Dixit, R., and Ajmani, P.: 'Leveraging Artificial Intelligence for Mental Health: A Comprehensive Review of Techniques and Applications', in Editor (Ed.)^(Eds.): 'Book Leveraging Artificial Intelligence for Mental Health: A Comprehensive Review of Techniques and Applications' (Springer, 2025, edn.), pp. 25-41
28. Bhaganagare, S., Chavan, S., Gavali, S., and Godase, V.: 'Mood Mate: A Review of Multimodal AI in Real-Time Mental Health Monitoring'
29. Muthu, D., Elakkia, G., and Tamilselvi, B.: 'DeepMindWatch: A Multi Modal AI Framework for Early Detection of Depression and Anxiety from Digital Bio Markers', in Editor (Ed.)^(Eds.): 'Book DeepMindWatch: A Multi Modal AI

Annual Methodological Archive Research Review
http://amresearchreview.com/index.php/Journal/about
Volume 4, Issue 1 (2026)

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

Framework for Early Detection of Depression and Anxiety from Digital Bio Markers' (IEEE, 2025, edn.), pp. 1974-1978

30. Ye, J., Woods, D., Jordan, N., and Starren, J.: 'The role of artificial intelligence for the application of integrating electronic health records and patient-generated data in clinical decision support', AMIA Summits on Translational Science Proceedings, 2024, 2024, pp. 459
31. Garriga, R., Buda, T.S., Guerreiro, J., Iglesias, J.O., Aguerri, I.E., and Matić, A.: 'Combining clinical notes with structured electronic health records enhances the prediction of mental health crises', Cell Reports Medicine, 2023, 4, (11)
32. Aalam, Z., Aziz, S., Lew, K.L., and Lee, C.S.: 'Real-Time Emotion Detection Using Artificial Intelligence: A Review', International Journal on Robotics, Automation and Sciences, 2025, 7, (1), pp. 104-110
33. Li, G.: 'Exploiting convolutional recurrent neural networks for enhanced eeg-based emotion recognition', Applied and Computational Engineering, 2024, 107, pp. 7-13
34. Vegesna, D.: 'AI-powered mental health monitoring using wearable devices and mobile sensing', INTERNATIONAL RESEARCH JOURNAL OF COMPUTER SCIENCE Учредители: AM Publications, 2024, 11, (8), pp. 545-550
35. Wang, W., Chen, J., Hu, Y., Liu, H., Chen, J., Gadekallu, T.R., Garg, L., Guizani, M., and Hu, X.: 'Integration of artificial intelligence and wearable internet of things for mental health detection', International Journal of Cognitive Computing in Engineering, 2024, 5, pp. 307-315
36. Saeidnia, H.R., Hashemi Fotami, S.G., Lund, B., and Ghiasi, N.: 'Ethical considerations in artificial intelligence interventions for mental health and well-being: Ensuring responsible implementation and impact', Social Sciences, 2024, 13, (7), pp. 381
37. Ojo, Y.: 'Ethical Considerations in Using AI for Mental Health Diagnosis and Treatment Planning: A Scoping Review', 2024
38. Shimada, K.: 'The role of artificial intelligence in mental health: a review', Science Insights, 2023, 43, (5), pp. 1119-1127

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

39. Cruz-Gonzalez, P., He, A.W.-J., Lam, E.P., Ng, I.M.C., Li, M.W., Hou, R., Chan, J.N.-M., Sahni, Y., Guasch, N.V., and Miller, T.: 'Artificial intelligence in mental health care: a systematic review of diagnosis, monitoring, and intervention applications', Psychological medicine, 2025, 55, pp. e18
40. Habicht, J., Dina, L.-M., McFadyen, J., Stylianou, M., Harper, R., Hauser, T.U., and Rollwage, M.: 'Generative AI–enabled therapy support tool for improved clinical outcomes and patient engagement in group therapy: real-world observational study', Journal of medical Internet research, 2025, 27, pp. e60435
41. Abbasi, N.: 'Artificial intelligence in remote monitoring and telemedicine', Journal of Artificial Intelligence General Science (JAIGS) ISSN: 3006-4023, 2024, 1, (1), pp. 258-272
42. Martinez-Martin, N.: 'Minding the AI: Ethical challenges and practice for AI mental health care tools': 'Artificial intelligence in brain and mental health: Philosophical, ethical & policy issues' (Springer, 2022), pp. 111-125
43. Timmons, A.C., Duong, J.B., Simo Fiallo, N., Lee, T., Vo, H.P.Q., Ahle, M.W., Comer, J.S., Brewer, L.C., Frazier, S.L., and Chaspari, T.: 'A call to action on assessing and mitigating bias in artificial intelligence applications for mental health', Perspectives on Psychological Science, 2023, 18, (5), pp. 1062-1096
44. Poon, A.I., and Sung, J.J.: 'Opening the black box of AI-Medicine', Journal of gastroenterology and hepatology, 2021, 36, (3), pp. 581-584
45. Sensi, F., Lizzi, F., Chincarini, A., Binelli, C., Sartori, L., and Retico, A.: 'Augmenting, Not Replacing: Clinicians' Perspectives on AI Adoption in Healthcare', Applied Sciences, 2025, 15, (23), pp. 12405
46. Padela, A.I., Hayek, R., Tabassum, A., Jotterand, F., and Qadir, J.: 'Assisting, Replicating, or Autonomously Acting? An Ethical Framework for Integrating AI Tools and Technologies in Healthcare', Bioethics, 2026, 40, (1), pp. 52-60
47. Baran, F.D.E., and Cetin, M.: 'AI-driven early diagnosis of specific mental disorders: a comprehensive study', Cognitive Neurodynamics, 2025, 19, (1), pp. 70
48. Milic, J., Zrnic, I., Grego, E., Jovic, D., Stankovic, V., Djurdjevic, S., and Sapic, R.: 'The Role of Artificial Intelligence in Managing Bipolar Disorder: A New

Online ISSN 3007-3197
Print ISSN 3007-3189
http://amresearchreview.com/index.php/Journal/about

Frontier in Patient Care', Journal of Clinical Medicine, 2025, 14, (7), pp. 2515

49. Halkiopoulos, C., and Gkintoni, E.: 'The Role of Machine Learning in AR/VR-Based Cognitive Therapies: A Systematic Review for Mental Health Disorders', Electronics (2079-9292), 2025, 14, (6)
50. Nwankwo, E.I., Emeihe, E.V., Ajegbile, M.D., Olaboye, J.A., and Maha, C.C.: 'Integrating telemedicine and AI to improve healthcare access in rural settings', International Journal of Life Science Research Archive, 2024, 7, (1), pp. 59-77
51. Garcia, G.: 'The role of AI in transforming psychiatric-mental health care: Enhancing the role of psychiatric-mental health nurse practitioners', Nursing Outlook, 2025, 73, (4), pp. 102461
52. Minerva, F., and Giubilini, A.: 'Is AI the future of mental healthcare?', Topoi, 2023, 42, (3), pp. 809-817
53. Kemothi, S., Jayakumar, S.S., Kolaventi, S.S., Satapathy, P., Sudheer, K., Ahluwalia, G., and Kataria, A.: 'Advancing Patient-Centered Care through AI-Driven Medical Informatics and Real-Time Health Data Analysis', in Editor (Ed.)^(Eds.): 'Book Advancing Patient-Centered Care through AI-Driven Medical Informatics and Real-Time Health Data Analysis' (AG Editor (Argentina), 2024, edn.), pp. 35
54. Ramírez, J.G.C.: 'AI in healthcare: revolutionizing patient care with predictive analytics and decision support systems', Journal of Artificial Intelligence General Science (JAIGS), 2024, 1, (1), pp. 31-37
55. Weightman, M.J., Chur-Hansen, A., and Clark, S.R.: 'AI in Psychiatric Education and Training From 2016 to 2024: Scoping Review of Trends', JMIR Medical Education, 2025, 11, (1), pp. e81517
56. Ajluni, V.: 'Artificial intelligence in psychiatric education: Enhancing clinical competence through simulation', Industrial Psychiatry Journal, 2025, 34, (1), pp. 11-15
57. Mallon, C., Murphy, T., McFarlane, S., Gorman, C., Mulvenna, M.D., Gorman, J., McTear, M.F., Bond, R.R., and Ennis, E.: 'Simulation-based psychological training and assessment using large language models to improve mental health practitioner training: a narrative review', in Editor (Ed.)^(Eds.): 'Book

Online ISSN 3007-3197
Print ISSN 3007-3189

Simulation-based psychological training and assessment using large language models to improve mental health practitioner training: a narrative review' (IEEE, 2025, edn.), pp. 1-7

58. Russell, R.G., Lovett Novak, L., Patel, M., Garvey, K.V., Craig, K.J.T., Jackson, G.P., Moore, D., and Miller, B.M.: 'Competencies for the use of artificial intelligence–based tools by health care professionals', Academic medicine, 2023, 98, (3), pp. 348-356
59. Hu, L., Argus, G., Pineda, R.C., MacAskill, W., and Martin, P.: 'The role of artificial intelligence in enhancing interprofessional education and collaborative practice: a mixed methods scoping review', Journal of Interprofessional Care, 2025, pp. 1-10
60. Yekaterina, K.: 'Challenges and opportunities for AI in healthcare', International journal of law and policy, 2024, 2, (7), pp. 11-15
61. Williamson, S.M., and Prybutok, V.: 'Balancing privacy and progress: a review of privacy challenges, systemic oversight, and patient perceptions in AI-driven healthcare', Applied Sciences, 2024, 14, (2), pp. 675
62. Zou, J., and Schiebinger, L.: 'Ensuring that biomedical AI benefits diverse populations', EBioMedicine, 2021, 67